


Panuzzi

WOODEN TILE


Wood Tiles

Native imitation solid wood texture
Delicate texture, wood details of take in everything
in a glance, reappearing wood verve



Traditional Wood Floor

Traditional wooden floor shortcomings
Prices are expensive and damage the environment
and wood grain brick high fidelity
Itself has moistureproof fire prevention
anti-corrosion, etc





**WATER ABSORPTION IS LOWER
WEAR RESISTANCE IS BETTER**

**150x900mm 200x1000mm
200x1200mm**

**FULL BODY
WOOD TILES**



FULL BODY WOOD TILES

150x900mm 200x1000mm 200x1200mm

Surface finish:Matte,Glazed

Tile Type:ACCENTS, Borders, Floor Tiles, Wall Tiles

Thickness:9mm

Grade:1st choice

Usage:Interior Tiles



LOW ABSORPTION OF WATER





FLOOR:GBW95605

WOOD TILES

150X900MM

Water Absorption

1%-3%

Function

Acid-Resistant, Antibacterial,
Firebrick, Heat Insulation,
Non-slip, Wear-Resistant

Package Detail

8pcs/1.08sqm/23.5kg/carton.
1174ctns/1267.92sqm/
28000kg/20'GP



GBW95703



GBW95667



GBW95606



GBW95509



GBW95666



WOOD TILES

150X900MM

Function

Acid-Resistant, Antibacterial,
Firebrick, Heat Insulation,
Non-slip, Wear-Resistant

Package Detail

8pcs/1.08sqm/23.5kg/carton.
1174ctns/1267.92sqm/
28000kg/20'GP



GBW95618



GBW95510



GBW95665



KEWENT CERAMICS



FULL BODY WOOD TILES

150x900mm 200x1000mm 200x1200mm

Surface finish:Matte,Glazed

Tile Type:ACCENTS, Borders, Floor Tiles, Wall Tiles

Thickness:9mm

Grade:1st choice

Usage:Interior Tiles



FLOOR:GBW18296

WOOD TILES

200X1000MM

Function

Acid-Resistant, Antibacterial,
Firebrick, Heat Insulation,
Non-slip, Wear-Resistant

Package Detail

Cartons with pallets
6pcs/1.2sqm/26.5kg/carton.
1217ctns/1217sqm/28000kg/20'GP



GBW18296



GBW18262



GBW18292



GBW18264



WOOD TILES

200X1000MM

Water Absorption

1%-3%

Function

Acid-Resistant, Antibacterial,
Firebrick, Heat Insulation,
Non-slip, Wear-Resistant

Package Detail

Cartons with pallets

6pcs/1.2sqm/26.5kg/carton.

1217ctns/1217sqm/28000kg/20'GP



GBW18281



GBW18116



GBW18117



GBW18118



KEWENT CERAMICS

FULL BODY WOOD TILES

150x900mm 200x1000mm **200x1200mm**

Surface finish:Matte,Glazed

Tile Type:ACCENTS, Borders, Floor Tiles, Wall Tiles

Thickness:9mm

Grade:1st choice

Usage:Interior Tiles





WOOD TILES

200X1200MM

Water Absorption

1%-3%

Function

Acid-Resistant, Antibacterial,
Firebrick, Heat Insulation,
Non-slip, Wear-Resistant

Package Detail

5pcs/1.2sqm/26.5kg/carton.
28000kg/20'GP



GBW28231



GBW28011



GBW28207



GBW28010



GBW28016



FLOOR:GBW28236

WOOD TILES

200X1200MM

Function

Acid-Resistant, Antibacterial,
Firebrick, Heat Insulation,
Non-slip, Wear-Resistant

Package Detail

5pcs/1.2sqm/26.5kg/carton.
28000kg/20'GP



GBW28008



GBW28009R



GBW28236